

## Application or Docket Number

Substitute for Form PTO-875

Application or Docket Number  
10807581

## (Column 1)

(Column 2)

## SMALL ENTITY

OR

OTHER THAN  
SMALL ENTITY

FOR	NUMBER FILED	NUMBER EXTRA
BASIC FEE (37 CFR 1.16(a), (b), or (c))		
SEARCH FEE (37 CFR 1.16(k), (l), or (m))		
EXAMINATION FEE (37 CFR 1.16(o), (p), or (q))		
TOTAL CLAIMS (37 CFR 1.16(i))	minus 20 =	*
INDEPENDENT CLAIMS (37 CFR 1.16(h))	minus 3 =	*
APPLICATION SIZE FEE (37 CFR 1.16(s))	If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).	
MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))		

RATE (\$)		FEE (\$)
X	=	
X	=	
TOTAL		

RATE (\$)		FEE (\$)
X	=	
X	=	
TOTAL		

• If the difference in column 1 is less than zero, enter "0" in column 2.

APPLICATION AS AMENDED – PART II

(Column 1)

(Column 2)

(Column 3)

## SMALL ENTITY

OR

OTHER THAN  
SMALL ENTITY

AMENDMENT A		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA
	Total (37 CFR 1.16(f))	20	Minus	20	=
	Independent (37 CFR 1.16(h))	7	Minus	3	=
Application Size Fee (37 CFR 1.16(s))					
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))					

SMALL ENTITY	
RATE (\$)	ADDITIONAL FEE (\$)
X	=
X	=
TOTAL ADD'L FEE	

SMALL ENTITY	
RATE (\$)	ADDITIONAL FEE (\$)
X =	
X =	
TOTAL ADN. FEE	

TOTAL

ADD'L FEE

~~TOTAL~~

~~TOTAL  
ADD'L FF~~

(Column 1)

(Column 2)

(Column 3)

## RATE (\$)

ADDI-

## RATE (\$

ADDL

AMENDMENT B		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA
	Total (37 CFR 1.16(i))	*	Minus	**	=
	Independent (37 CFR 1.16(h))	*	Minus	***	=
	Application Size Fee (37 CFR 1.16(s))				
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))					

RATE (\$)		ADDITIONAL FEE (\$)
X	=	
X	=	
TOTAL ADD'L FEE		

RATE (\$)	ADDITIONAL FEE (\$)
X =	
X =	
TOTAL ADD'L FEE	

TOTAL

ADD'L FEE

TOTAL

ADD'L FEES

- \* If the entry in column 1 is less than the entry in column 2, write "0" in column 3.  
 \*\* If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".  
 \*\*\* If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".

The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or any suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

RECEIVED  
CENTRAL FAX CENTER

NOV 22 2006

AMENDMENTS TO THE CLAIMS:

1. (Currently Amended) An ordnance venting system to reduce the danger of explosion from heat induced over-pressurization in rocket warheads, comprising:

a first rocket section comprising a rocket warhead section having at least a first connectable end; and,

an adapter ~~that melts~~ for melting at high temperatures having a first mating surface and a second mating surface, the first mating surface of the adapter effective to rigidly connect to the first connectable end of the rocket warhead section and the second mating surface of the adapter effective to rigidly connect with a connectable end of a second rocket fuze section,

wherein the adapter binds the first rocket section and the second fuze rocket section, and

wherein a portion of the second mating surface extends beyond the first connectable end in contact with the second rocket fuze section.

2. (Original) The ordnance venting system of claim 1, wherein the rocket warhead section comprises a single compartment explosive fill.

3. (Original) The ordnance venting system of claim 1, wherein the rocket warhead section comprises a multiple submunitions.

4. (Canceled)

10/807,581

2

5. (Currently Amended) The ordnance venting system of claim 1, further comprising a second adapter.

wherein the rocket warhead section comprises a second connectable end, ~~and further comprising a second adapter,~~ the second adapter effective to rigidly connect to the second connectable end of the rocket warhead section.

6. (Canceled)

7. (Currently Amended) The ordnance venting system of claim 1, wherein the adapter ~~comprises~~ is comprised of a thermoplastic material.

8. (Currently Amended) The ordnance venting system of claim 7, wherein the ~~thermoplastic material comprises~~ adapter is comprised of polycarbonate.

9. (Currently Amended) The ordnance venting system of claim 8, wherein the ~~thermoplastic material comprises~~ adapter is comprised of a polycarbonate filled with glass in an amount of from at least about 30 weight percent ~~or more~~.

10. (Currently Amended) The ordnance venting system of claim 9, wherein the ~~thermoplastic material comprises~~ adapter is comprised of a polycarbonate filled with glass in an amount ranging from about 30 weight percent to about 40 weight percent.

10/807,581

3

11. (Currently Amended) The ordnance venting system of claim 1, wherein the adapter ~~comprises~~ is comprised of a nylon material.

12. (Currently Amended) The ordnance venting system of claim 1, wherein the adapter ~~comprises a Teflon~~ is comprised of a tetrafluoroethylene material.

13. (Canceled)

14. (Original) A rocket comprising the ordnance venting system of claim 1.

15. (Currently Amended) The rocket of claim 14, wherein the rocket ~~comprises a MK 66 Rocket~~ rocket warhead is one of an unguided rocket warhead and a guided rocket warhead.

16. (Currently Amended) The ordnance venting system of claim 1, wherein the adapter melts at a temperature ~~of from~~ at least about 350°F ~~or greater.~~

17. (Currently Amended) The ordnance venting system of claim 1, wherein the adapter structurally fails at a pressure ~~of from~~ at least about 5000 psi ~~or greater.~~

18-20 (Canceled)

10/807,581

4

21. (New) The ordnance venting system of claim 1, wherein the first mating surface comprises a portion substantially perpendicular to the first connectable end.

22. (New) The ordnance venting system of claim 1, wherein the adapter comprises an external portion in relation to the first mating surface.

23. (New) The ordnance venting system of claim 1, wherein the first mating surface is a substantially L-shaped first mating surface.

24. (New) An ordnance venting system in a rocket warhead, comprising:  
a first rocket section comprising a rocket warhead section having at least a first connectable end; and,

an adapter for melting at high temperatures having a first mating surface and a second mating surface, the first mating surface of the adapter effective to rigidly connect to the first connectable end of the rocket warhead section and the second mating surface of the adapter effective to rigidly connect with a connectable end of a second rocket fuze section,

wherein the adapter comprises an external surface portion.

25. (New) The ordnance venting system according to claim 24, wherein the external surface portion contacts the first connectable end and the second rocket fuze section.

26. (New) The ordnance venting system according to claim 24, wherein the external surface portion is situated substantially intermediate the first connectable end and a portion of the second rocket fuze section

10/807,581

6